

L Number	Hits	Search Text	DB	Time stamp
93	2	20020169582.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:16
94	84087	((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1 or second\$3) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)) with device\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:50
95	2360	((((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1 or second\$3) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)) with device\$1) and (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3 or hart\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:22
96	2059	(((((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1 or second\$3) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)) with device\$1) and (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3 or hart\$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:21
97	635	((((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1 or second\$3) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)) with device\$1) same (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3 or hart\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:21
98	509	(((((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1 or second\$3) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)) with device\$1) same (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3 or hart\$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:54
99	166	(fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3) with hart\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:53
100	61	(((((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1 or second\$3) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)) with device\$1) same (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3 or hart\$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730)) and ((fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3) with hart\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:22

101	52	((((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)) with device\$1) same (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3)) same hart\$3) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:23
102	9	((((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1 or second\$3) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)) with device\$1) same (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3 or hart\$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730)) and ((fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3) with hart\$3)) not (((((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)) with device\$1) same (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3)) same hart\$3) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:25
103	214	((((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1 or second\$3) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)) with device\$1) same (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3 or hart\$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730)) and frequenc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:26
104	152984	(standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses or fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3 or hart\$3) same frequenc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:28
105	63	((((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1 or second\$3) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)) with device\$1) same (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3 or hart\$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730)) and ((standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses or fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3 or hart\$3) same frequenc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:29

106	54	<p>((((((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1 or second\$3) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)) with device\$1) same (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3 or hart\$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730)) and ((standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses or fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3 or hart\$3) same frequenc\$3)) not ((((((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1 or second\$3) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)) with device\$1) same (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3 or hart\$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730)) and ((fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3) with hart\$3)) or ((((((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)) with device\$1) same (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3)) same hart\$3) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730)) or ((((((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1 or second\$3) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)) with device\$1) same (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3 or hart\$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730)) and ((fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3) with hart\$3)) not ((((((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)) with device\$1) same (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3)) same hart\$3) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730))))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/05/26 08:29</p>
107	497066	<p>((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1 or second\$3) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/05/26 08:51</p>

108	452490	(field or control or industrial) adj2 device\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 10:31
109	3455	(((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1 or second\$3) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses))) with ((field or control or industrial) adj2 device\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:53
110	253	(((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1 or second\$3) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses))) with ((field or control or industrial) adj2 device\$1)) and (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3 or hart\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 10:31
111	217	(((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1 or second\$3) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses))) with ((field or control or industrial) adj2 device\$1)) and (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3 or hart\$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:54
112	138	(((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1 or second\$3) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses))) with ((field or control or industrial) adj2 device\$1)) same (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3 or hart\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:54
113	113	(((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1 or second\$3) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses))) with ((field or control or industrial) adj2 device\$1)) same (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3 or hart\$3)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 10:34
114	9174	configur\$7 with ((field or control or industrial) adj2 device\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 10:31
115	94	(configur\$7 with ((field or control or industrial) adj2 device\$1)) same (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3 or hart\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 10:32

117	3	(((configur\$7 with ((field or control or industrial) adj2 device\$1)) same (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3 or hart\$3)) same (portabl\$3 or mobile or palm\$7 or handheld or hand adj2 held or laptop\$1 or lap adj2 top\$1 or notebook\$1 or note adj2 book\$1)) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 10:34
116	4	((configur\$7 with ((field or control or industrial) adj2 device\$1)) same (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3 or hart\$3)) same (portabl\$3 or mobile or palm\$7 or handheld or hand adj2 held or laptop\$1 or lap adj2 top\$1 or notebook\$1 or note adj2 book\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 10:34
-	2	20010009007.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:01
-	149	(fieldbus or field adj2 bus) with hart	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:02
-	114	((fieldbus or field adj2 bus) with hart) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:20
-	415311	(plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 14:23
-	69502	((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)) with device\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:18
-	617	(((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)) with device\$1) same (hart\$3 or fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 14:24
-	610	(((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)) with device\$1) same (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 14:24

-	65	(((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)) with device\$1) same (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3)) same hart\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 14:25
-	52	((((plural\$5 or multi\$5 or differ\$5 or vary\$3 or variet\$3 or various or type\$1 or kind\$1) near8 (standard\$1 or interfac\$3 or protocol\$1 or bus or busses or buses)) with device\$1) same (fieldbus\$3 or field adj2 bus\$3 or profibus\$3 or profi adj2 bus\$3)) same hart\$3) and (@ad<20010730 or @rlad<20010730 or @prad<20010730 or @pt1d<20010730 or @pd<20010730)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 08:23